7/9



## RECEIVED

JUL 2 3 2002

TECH CENTER 1600/2900

## RAW SEQUENCE LISTING ERROR REPORT

44 6

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/78/89/C
Source: 1609
Date Processed by STIC: 7//2/2002

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216. PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax) PATENTIN 3.0 e-mail help: patin3help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE <u>CHECKER</u> <u>VERSION 3.1 PROGRAM</u>, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail. Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom. Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

- 1. EFS-Bio (<a href="http://www.uspto.gov/ebc/efs/downloads/documents.htm">http://www.uspto.gov/ebc/efs/downloads/documents.htm</a>, EFS Submission User Manual ePAVE)
- 2. U.S. Postal Service: U.S. Patent and Trademark Office, Box Sequence, P.O. Box 2327, Arlington, VA 22202
- Hand Carry directly to:
   U.S. Patent and Trademark Office, Technology Center 1600, Reception Area, 7<sup>th</sup> Floor, Examiner Name, Sequence Information, Crystal Mall One, 1911 South Clark Street, Arlington, VA 22202

U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 01/29/2002





RAW SEQUENCE LISTING

\_

DATE: 07/12/2002

PATENT APPLICATION: US/09/781,891C

TIME: 10:39:31

Input Set : A:\13381.seq.txt

Output Set: N:\CRF3\07122002\I781891C.raw

```
3 <110> APPLICANT: Delaney, William IV
         Locarnini, Stephen Alister
 5
         Chen, Robert Yung Ming
         Bartholomeusz, Angeline
         Isom, Harriet
 9 <120> TITLE OF INVENTION: An assay
11 <130> FILE REFERENCE: 2378750/EJH
13 <140> CURRENT APPLICATION NUMBER: 09/781,891C
14 <141> CURRENT FILING DATE: 2001-02-02
16 <150> PRIOR APPLICATION NUMBER: 60/179,948
                                                              Does Not Comply
17 <151> PRIOR FILING DATE: 2000-02-03
                                                         Corrected Diskette Needed
19 <160> NUMBER OF SEQ ID NOS: 22
21 <170> SOFTWARE: PatentIn version 3.0
23 <210> SEQ ID NO: 1
24 <211> LENGTH: 23
25 <212> TYPE: DNA
26 <213> ORGANISM: Artificial Sequence
28 <220> FEATURE:
29 <223> OTHER INFORMATION: Description of Artificial Sequence: Primer
31 <400> SEQUENCE: 1
32 gcctcatttt gtgggtcacc ata
                                                                           23
34 <210> SEQ ID NO: 2
35 <211> LENGTH: 20
36 <212> TYPE: DNA
37 <213> ORGANISM: Artificial Sequence
39 <220> FEATURE:
40 <223> OTHER INFORMATION: Description of Artificial Sequence: Primer
42 <400> SEQUENCE: 2
                                                                           20
43 tctctgacat actttccaat
45 <210> SEQ ID NO: 3
46 <211> LENGTH: 18
47 <212> TYPE: DNA
48 <213> ORGANISM: Artificial Sequence
50 <220> FEATURE:
51 <223> OTHER INFORMATION: Description of Artificial Sequence: Primer
53 <400> SEQUENCE: 3;
                                                                           18
54 tgcacgattc ctgctcaa
56 <210> SEQ ID NO: 4
57 <211> LENGTH: 20
58 <212> TYPE: DNA
59 <213> ORGANISM: Artificial Sequence
61 <220> FEATURE:
```

62 <223> OTHER INFORMATION: Description of Artificial Sequence: Primer

Input Set : A:\13381.seq.txt

Output Set: N:\CRF3\07122002\I781891C.raw

```
64 <400> SEQUENCE: 4
                                                                             20
65 tttctcaaag gtggagacag
67 <210> SEQ ID NO: 5
68' <211> LENGTH: 181
69 <212> TYPE: PRT
70 <213> ORGANISM: Artificial Sequence
72 <220> FEATURE:
73 <223> OTHER INFORMATION: Description of Artificial Sequence: Reference HBV
         (Formula I)
76 <220> FEATURE:
77 <221> NAME/KEY: variant
78 <222> LOCATION: (2)..(2)
79 <223> OTHER INFORMATION: X = N or D
81 <220> FEATURE:
82 <221> NAME/KEY: variant
                                              GIX, not Xaa, is at location 17
83 <222> LOCATION: (17)..(17)
84 <223> OTHER INFORMATION X = I or P
86 <220> FEATURE:
87 <221> NAME/KEY: variant
88 <222> LOCATION: (29)..(29)
                                                          "GIX can only
represent Glutamine
or Glutamic Acid
89. \langle 223 \rangle OTHER INFORMATION: X = I or V
91 <220> FEATURE:
92 <221> NAME/KEY: variant
93 <222> LOCATION: (35)..(35)
94 <223> OTHER INFORMATION: X = S or D
96 <220> FEATURE:
97 <221> NAME/KEY: variant
98 <222> LOCATION: (44)..(44)
99 <223> OTHER INFORMATION: X = T or N
101 <220> FEATURE:
102 <221> NAME/KEY: variant
103 <222> LOCATION: (46)..(46)
104 <223> OTHER INFORMATION: X = R or N
106 <220> FEATURE:
107 <221> NAME/KEY: variant
108 <222> LOCATION: (47)..(47)
109 <223> OTHER INFORMATION: X = N or I
111 <220> FEATURE:
112 <221> NAME/KEY: variant
113 <222> LOCATION: (48)..(48)
114 <223> OTHER INFORMATION: X = any amino acid
116 <220> FEATURE:
117 <221> NAME/KEY: variant
118 <222> LOCATION: (49)..(49)
119 <223> OTHER INFORMATION: X = N
121 <220> FEATURE:
                                                         (JX is at location 50
(same enn as above)
122 <221> NAME/KEY: variant
123 <222> LOCATION (50)..(50)
124 <223> OTHER INFORMATION: X = N or Y or H
```

Input Set : A:\13381.seq.txt

Output Set: N:\CRF3\07122002\I781891C.raw

126 <220> FEATURE: 127 <221> NAME/KEY: variant 128 <222> LOCATION: (52)..(52) 129 <223> OTHER INFORMATION: X = H or Y131 <220> FEATURE: 132 <221> NAME/KEY: variant 133 <222> LOCATION: (53)..(53) 134 <223> OTHER INFORMATION: X = G or R136 <220> FEATURE: 137 <221> NAME/KEY: variant 138 <222> LOCATION: (54)..(56) 139 <223> OTHER INFORMATION: X = any amino acid 141 <220> FEATURE: 142 <221> NAME/KEY: variant 143 <222> LOCATION: (57)..(57) 144 <223> OTHER INFORMATION: X = D or N146 <220> FEATURE: 147 <221> NAME/KEY: variant 148 <222> LOCATION: (60)..(60) 149 <223> OTHER INFORMATION: X = D or N 151 <220> FEATURE: 152 <221> NAME/KEY: variant 153 <222> LOCATION: (61)..(61) 154  $\langle 223 \rangle$  OTHER INFORMATION: X = S or Y 156 <220> FEATURE: 157 <221> NAME/KEY: variant 158 <222> LOCATION: (65)..(65) 159 <223> OTHER INFORMATION: X = N or Q161 <220> FEATURE: 162 <221> NAME/KEY: variant 163 <222> LOCATION: (71)..(71) 164 <223> OTHER INFORMATION: X = L or M166 <220> FEATURE: 167 <221> NAME/KEY: variant 168 <222> LOCATION: (75)..(75) 169 <223> OTHER INFORMATION: X = K or Q171 <220> FEATURE: 172 <221> NAME/KEY: variant 173 <222> LOCATION: (77)..(77) 174 <223> OTHER INFORMATION: X = Y or F176 <220> FEATURE: 177 <221> NAME/KEY: variant 178 <222> LOCATION: (79)..(79) 179 <223> OTHER INFORMATION: X = R or W181 <220> FEATURE: 182 <221> NAME/KEY: variant 183 <222> LOCATION: (84)..(84) 184 <223> OTHER INFORMATION: X = Y or L 186 <220> FEATURE:

Input Set : A:\13381.seq.txt

Output Set: N:\CRF3\07122002\I781891C.raw

187 <221> NAME/KEY: variant 188 <222> LOCATION: (85)..(85) 189 <223> OTHER INFORMATION: X = S or A 191 <220> FEATURE: 192 <221> NAME/KEY: variant 193 <222> LOCATION: (89)..(89) 194 <223> OTHER INFORMATION: X = I or V196 <220> FEATURE: 197 <221> NAME/KEY: variant 198 <222> LOCATION: (95)..(95) 199 <223> OTHER INFORMATION: X = I or L 201 <220> FEATURE: 202 <221> NAME/KEY: variant 203 <222> LOCATION: (99)..(99) 204 <223> OTHER INFORMATION: X = V or G206 <220> FEATURE: 207 <221> NAME/KEY: variant 208 <222> LOCATION: (114)..(114) 209 <223> OTHER INFORMATION: X = C or L 211 <220> FEATURE: 212 <221> NAME/KEY: variant 213 <222> LOCATION: (115)..(115) 214 <223> OTHER INFORMATION: X = A or S216 <220> FEATURE: 217 <221> NAME/KEY: variant 218 <222> LOCATION: (116)..(116) 219 <223> OTHER INFORMATION: X = V or M 221 <220> FEATURE: 222 <221> NAME/KEY: variant 223 <222> LOCATION: (117)..(117) 224 <223> OTHER INFORMATION: X = V or T226 <220> FEATURE: 227 <221> NAME/KEY: variant 228 <222> LOCATION: (118)..(118) 229 <223> OTHER INFORMATION: X = R or C231 <220> FEATURE: 232 <221> NAME/KEY: variant 233 <222> LOCATION: (122)..(122) 234 <223> OTHER INFORMATION: X = F or P 236 <220> FEATURE: 237 <221> NAME/KEY: variant 238 <222> LOCATION: (125)..(125) 239 <223> OTHER INFORMATION: X = L or V241 <220> FEATURE: 242 <221> NAME/KEY: variant 243 <222> LOCATION: (126)..(126) 244 <223> OTHER INFORMATION: X = A or V246 <220> FEATURE: 247 <221> NAME/KEY: variant

Input Set : A:\13381.seq.txt

Output Set: N:\CRF3\07122002\I781891C.raw

248 <222> LOCATION: (128)..(128) 249 <223> OTHER INFORMATION: X = S or A 251 <220> FEATURE: 252 <221> NAME/KEY: variant 253 <222> LOCATION: (130)..(130) 254 <223> OTHER INFORMATION: M = amino acid 550 256 <220> FEATURE: 257 <221> NAME/KEY: variant 258 <222> LOCATION: (133)..(133) 259 <223> OTHER INFORMATION: X = V or L or M 261 <220> FEATURE: 262 <221> NAME/KEY: variant 263 <222> LOCATION: (138)..(138) 264 <223> OTHER INFORMATION: X = K or R266 <220> FEATURE: 267 <221> NAME/KEY: variant 268 <222> LOCATION: (139)..(139) 269 <223> OTHER INFORMATION: X = S or T271 <220> FEATURE: 272 <221> NAME/KEY: variant 273 <222> LOCATION: (140)..(140) 274 <223> OTHER INFORMATION: X = V or G276 <220> FEATURE: 277 <221> NAME/KEY: variant 278 <222> LOCATION: (141)..(141) 279 < 223 > OTHER INFORMATION: X = Q or E281 <220> FEATURE: 282 <221> NAME/KEY: variant 283 <222> LOCATION: (143)..(143) 284 <223> OTHER INFORMATION: X = L or S or R286 <220> FEATURE: 287 <221> NAME/KEY: variant 288 <222> LOCATION: (145)..(145) 289 <223> OTHER INFORMATION: X = S or F291 <220> FEATURE: 292 <221> NAME/KEY: variant 293 <222> LOCATION: (147)..(147) 294 <223> OTHER INFORMATION: X = F or Y296 <220> FEATURE: 297 <221> NAME/KEY: variant 298 <222> LOCATION: (148)..(148) 299 <223> OTHER INFORMATION: X = T or A 301 <220> FEATURE: 302 <221> NAME/KEY: variant 303 <222> LOCATION: (149)..(149) 304 <223> OTHER INFORMATION: X = A or S306 <220> FEATURE: 307 <221> NAME/KEY: variant 308 <222> LOCATION: (150)..(150)

RAW SEQUENCE LISTING ERROR SUMMARY PATENT APPLICATION: US/09/781,891C

DATE: 07/12/2002 TIME: 10:39:32

Input Set : A:\13381.seq.txt

Output Set: N:\CRF3\07122002\1781891C.raw

## Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:5; Xaa Pos. 2,29/35,44,46,47,48,49,52,53,54,55,56,57,60,61,65,71,75,77
Seq#:5; Xaa Pos. 79/84,85,89/95/99,114,115,116,117,118,122,125,126,128,133
Seq#:5; Xaa Pos. 138,139,140,141,143,145,147,148,149,150,151,152,153,156
Seq#:5; Xaa Pos. 157,162,164,174,179
Seq#:6; Xaa Pos. 2,3,4,5,8,10,13,18,19,21,24,26,27,30,33,40,44,45,46,47,49
Seq#:6; Xaa Pos. 51,52,53,56,57,59,61,63,64,68,70,78,85,100,105,110,112,113
Seq#:6; Xaa Pos. 114,118,119,120,122,125,126,127,128,131,133,134,136,137
Seq#:6; Xaa Pos. 140,143,144,146,155,158,159,160,161,165,166,168,170,174
Seq#:6; Xaa Pos. 177,178,182,183,184,185,187,189,192,193,194,197,198,200
Seq#:6; Xaa Pos. 202,204,205,206,207,209,210,213,220,221,223,224,225
Seq#:7; Xaa Pos. 3,10,11,15,21,27,45,48,59,62,65,76,86,96,134,153,164,182
Seq#:7; Xaa Pos. 203,208,220,222,225,228,243,249,254
Seq#:8; Xaa Pos. 2,49,52,53,55,56,65,69,75,195,209,211,222